

Medications to Avoid Before and After Surgery

If you are taking any medications on this list, they should be discontinued 10 to 30 days prior to your surgery and only TYLENOL should be taken for pain. All other medications that you are currently taking must be specifically cleared by your doctor prior to surgery. It is absolutely necessary that all of your current medications be specifically cleared by your doctor and the nursing staff.

Aspirin Medications to Avoid

4-way cold tabs	5-Aminosalicylic Acid	Accetilsalicylic Acid
Adprin – B products	Alka Seltzer products	Amigesic
Anacin products	Anexsia w/Codeine	Argesic-SA
Artha – G	Arthriten products	Arthritis Foundation products
Arthritis Pain Formulas	Arthritis Strength BC	Arthropan
ASA	Powder	Ascriptin products
Aspergum	Asacol	Axotal
Azdone	Asprimox products	B-A-C
Backache Maximun	Azulfidine products	BC powder
Bismatrol products	Bayer products	Bufferin products
Buffetts II	Buffered Aspirin	Butal/ASA/Caff
Butalbital Compound	Buffex	Carisoprodol Compound
Cheracol	Cama Arthritis Pain Reliever	Choline Salicylate
Celebrex	Choline Magnesium Trisalicylate	Cortisone Medications
Cope	Coricidin	Darvon/ASA
Damason-P	Darvon Compound-65	Doan's products
Dipentum	Disalcid	Duragesic
Dolobid	Dristan	Empirin products
Easprin	Ecotrin products	Fiorgen PF
Equagesic	Excedrin products	Genprin
Fiorinal products	Gelprin	Halfprin products
Gensan	Goody's E.S. Headache powder	Lanorinal
Isollyl Improved	Kaodene	Magnaprin products
Lortab ASA	Magan	Marnal
Magnesium Salicylate	Magsal	Mesalamine
Marthritic	Meprobamate	Mobidin
Methocarbamol	Micrainin	Mono-Gesic
Mobigesic	Momentum	Norwich products
Night-Time Effervescient	Norgesic products	Oxycodone
Cold	Orphengesic products	Pain Reliever Tabs
Olsalazine	Pabalate products	Pepto-Bismol
P-A-C	Pentasa	Pink Bismuth
Panasal	Phenaphen/codeine #3	Rowasa
Percodan products	Robaxial	Salflex
Propoxyphene Compound	Salcto products	Salsitab
Products	Salsalate	Sinutab
Roxeprin	Sine-off	Soma Compound
Salicylate products	Sodol Compound	Supac

Dr. Peter Bray – Certified Plastic Surgeon, MD, MSc, FRCS (C)

Phone: (416) 323-1330 | Fax: (416) 323 – 9397 | info@drbrayplasticsurgery.com | www.drbray.ca
66 Avenue Rd., Upper level, Toronto, ON M5R 3N8

 @drbrayplasticsurgery

Scot-Tussin Original 5-
Sodium Salicylate
St. Joseph Aspirin
Suprax
Triaminicin
Tussanil DH
Vanquish
Zorprin

Sulfasalazine
Synalgos-DC
Tricosal
Tussirex products
Wesprin

Trilisate
Ursinus-Inlay
Willow Bark products

Ibuprofen Medications to Avoid

Actron
Aleve
Cataflam
Diclofenac
Etodolac
Flurbiprofen
IBU
Ibuprohm
Indomethacin products
Lodine
Mefenamic Acid
Motrin products
Naprelan
Naproxen
Orudis products
Piroxicam
Relafen
Sulindac
Tolmetin

Acular(ophthalmic)
Anaprox products
Clinoril
Dimetapp Sinus
Feldene
Genpril
Ibuprin
Indochron E-R
Ketoprofen
Meclofenamate
Menadol
Nabumetone
Naprosyn products
Nuprin
Oruvail
Ponstel
Rhinocaps
Suprofen
Toradol

Advil products
Ansaid
Daypro
Dristan Sinus
Fenoprofen
Haltran
Ibuprofen
Indocin products
Ketorolac
Meclomen
Midol products
Nalfon products
Naprox X
Ocufen (ophthalmic)
Oxaprozin
Profenal
Sine-Aid products
Tolectin products
Voltaren

Dr. Peter Bray – Certified Plastic Surgeon, MD, MSc, FRCS (C)

Phone: (416) 323-1330 | Fax: (416) 323 – 9397 | info@drbrayplasticsurgery.com | www.drbray.ca
66 Avenue Rd., Upper level, Toronto, ON M5R 3N8

 @drbrayplasticsurgery

Other Medications to Avoid

4-Way w/Codeine
Actifed
Anturane
Children's Advil
Coumadin
Dinvridamole
Enoxaparin injection
Furadantin
Hydrocortisone
Macrochantin
Opasal
Persantine
Protamine
Salatin
Soltice
Sulfinpyrazone
Thorazine
Trental
Vitamin E

A-A compound
Anexsia
Arthritis Bufferin
Clinoril C
Dalteparin injection
Doxycycline
Flagyl
Garlic
Isollyl
Mellaril
Pan-PAC
Phenylpropanolamine
Pyrroxate
Sinex
Sparine
Tenuate
Ticlid
Ursinus
Warfarin

A.C.A.
Anisindione
BC Tablets
Contac
Dicumerol
Emagrin
Fragmin injection
Heparin
Lovenox injection
Miradon
Pentoxifylline
Prednisone
Ru-Tuss
Sofarin
Stelazine
Tenuate Dospan
Ticlopidine
Virbamycin

If you have any questions, please contact our office between the hours of 9 - 5pm at 416-323-1330

If you are a Windsor Patient, please contact the Windsor/Tecumseh office at 519-727-1010

You will be provided with an after-hours/holiday/emergency contact information approaching your surgery date.